

***velonix***

---

**Bearing Catalog**



**Velonix** supplies bearings and brakes to original equipment manufacturers (OEM) and replacement part distributors in the light, medium and heavy duty trailer and bulk material handling industries. Over the years, our experienced management and sourcing teams have established an elaborate network of global suppliers.

We have imported products from Taiwan, Japan, Korea, Argentina, Brazil, India, Romania, Russia, and Canada. Today, all of our products are manufactured in the People's Republic of China.

Velonix is a customer driven organization that remains as committed to service today as it was on its first day of operation.

- Customers continue to rely on our adept and experienced team.
- Consistently provide responsive and efficient logistic management support



**Velonix** supplies bearings to the North American Markets. Our factories manufacture a full line of industry standard tapered roller, spherical roller and deep groove ball bearings. Our extensive bearing line allows us to service numerous applications and a variety of industries.

### TAPERED ROLLER BEARINGS

Velonix tapered roller bearings are suitable for light to heavy load applications in the automotive, heavy-duty trailers and conveyor industries. Its design consists of separable rings; an inner ring or cone, outer ring or cup and tapered rollers. This type of bearing is suitable for a combination of radial and thrust loading, with a steeper contact angle allowing for larger thrust loads.

Velonix tapered roller bearings are available as single cups or cones, or supplied as matched bearing sets.



## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 1   | 2007105E         | 32005           | 25x47x15          | 0.115            |
| 2   | 20071/26E        | 320/26          | 26x47x15          | 0.110            |
| 3   | 20071/28EK       | 320/28A         | 28x52x16          | 0.142            |
| 4   | 2007106E         | 32006           | 30x55x17          | 0.172            |
| 5   | 20071/32EK       | 320/32A         | 32x58x17          | 0.188            |
| 6   | 2007107E         | 32007           | 35x62x18          | 0.227            |
| 7   | 2007108E         | 32008           | 40x68x19          | 0.261            |
| 8   | 2007109E         | 32009           | 45x75x20          | 0.329            |
| 9   | 2007110E         | 32010           | 50x80x20          | 0.365            |
| 10  | 2007111E         | 32011           | 55x90x23          | 0.550            |
| 11  | 2007112E         | 32012           | 60x95x23          | 0.586            |
| 12  | 2007113E         | 32013           | 65x100x23         | 0.627            |
| 13  | 2007114E         | 32014           | 70x110x25         | 0.842            |
| 14  | 2007115E         | 32015           | 75x115x25         | 0.887            |
| 15  | 2007116E         | 32016           | 80x125x29         | 1.270            |
| 16  | 2007117E         | 32017           | 85x130x29         | 1.330            |
| 17  |                  | 32017A          | 85x130x29         | 1.320            |
| 18  | 2007118E         | 32018           | 90x140x32         | 1.730            |
| 19  | 2007119E         | 32019           | 95x145x32         | 1.800            |

| No. | Part Number      |                 | Dimension (DxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 20  | 2007120E         | 32020           | 100x150x32        | 1.870            |
| 21  | JLM820048/12     |                 | 100x150x32        | 1.80             |
| 22  | 2007121E         | 32021           | 105x160x35        | 2.380            |
| 23  | 2007121EK        | 32021A          | 106x160x35        | 2.330            |
| 24  | 2007122E         | 32022           | 110x170x38        | 2.990            |
| 25  | 2007124E         | 32024           | 120x180x38        | 3.200            |
| 26  | 2007126E         | 32026           | 130x200x45        | 4.860            |
| 27  | 2007128E         | 32028           | 140x210x45        | 5.190            |
| 28  |                  | 32028A          | 140x210x45        | 5.160            |
| 29  | 2007130E         | 32030           | 150x225x48        | 6.390            |
| 30  | 2007132          | 32032           | 160x240x51        | 7.381            |
| 31  | 2007132E         | 32032           | 160x240x51        | 7.530            |
| 32  | 2007136          | 32036           | 150x225x48        | 13.439           |
| 33  | 2007140E         | 32040           | 200x310x70        | 19.000           |
| 34  | 3007715E         | 33115           | 75x125x37         | 1.77             |
| 35  | 27713E           |                 | 65x140x40         | 2.71             |
| 36  | 2007930E         | 32930           | 150x210x38        | 3.880            |
| 37  | 3007205E         | 33205           | 25x52x22          | 0.219            |
| 38  | 3007206E         | 33206           | 30x62x25          | 0.344            |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 39  | 3007207E         | 33207           | 35×72×28          | 0.522            |
| 40  | 3007209E         | 33209           | 45×85×32          | 0.774            |
| 41  | 3007210E         | 33210           | 50×90×32          | 0.830            |
| 42  | 3007211E         | 33211           | 55×100×35         | 1.160            |
| 43  | 3007910E         | 33910           | 50×100×35         | 1.250            |
| 44  | 3007213E         | 33213           | 65×120×41         | 2.000            |
| 45  | 3007214E         | 33214           | 70×125×41         | 2.07             |
| 46  | 3007215E         | 33215           | 75×130×41         | 2.180            |
| 47  | 3007216E         | 33216           | 80×140×46         | 2.85             |
| 48  | 3007709E         | 33109           | 45×80×26          | 0.538            |
| 49  | 3007713E         | 33113           | 65×110×34         | 1.3              |
| 50  | 3007715E         | 33115           | 75×125×37         | 1.77             |
| 51  | 3007716E         | 33116           | 80×130×37         | 1.850            |
| 52  | 3007718E         | 33118           | 90×150×45         | 3.150            |
| 53  | 3007722E         | 33122           | 110×180×56        | 5.580            |
| 54  | 3007724E         | 33124           | 120×200×62        | 7.800            |
| 55  | 3007718EA        | 33218A          | 90×160×56         | 4.610            |
| 56  | 3007221E         | 33221           | 105×190×68        | 8.09             |
| 57  | 3007111E         | 33011           | 55×90×27          | 0.654            |

| No. | Part Number      |                 | Dimension (DxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 58  | 3007113E         | 33013           | 65×100×27         | 0.736            |
| 59  | 3007114E         | 33014           | 70×110×31         | 1.08             |
| 60  | 3007115E         | 33015           | 75×115×31         | 1.12             |
| 61  | 3007117E         | 33017           | 85×130×36         | 1.700            |
| 62  | 3007118E         | 33018           | 90×140×39         | 2.200            |
| 63  | 3007119E         | 33019           | 95×145×39         | 2.310            |
| 64  | 3007119EK        | 33019A          | 95×145×39         | 2.310            |
| 65  | 3007120E         | 33020           | 100×150×39        | 2.39             |
| 66  | 3007121E         | 33021           | 105×160×43        | 2.98             |
| 67  | 3007122E         | 33022           | 110×170×47        | 3.840            |
| 68  |                  | 33022A          | 110×170×47        | 3.820            |
| 69  |                  | 33030           | 150×225×59        |                  |
| 70  | 3007220E         | 33220           | 100×180×63        | 6.800            |
| 71  |                  | 33220A          | 100×180×63        | 6.800            |
| 72  | 2007924E         | 32924           | 120×165×29        | 1.79             |
| 73  | T2CC140          | 32928           | 140×190×32        | 2.60             |
| 74  | 2007938E         | 32938           | 190×260×45        | 6.79             |
| 75  |                  | 32944           | 220×300×48        | 10.1             |
| 76  | 2097724E         | 352124          | 120×200×110       | 12.6             |

## BEARING SPECIFICATIONS

| No. | Part Number           |                 | Dimension (dxDxT) | Unit Weight (Kg) |
|-----|-----------------------|-----------------|-------------------|------------------|
|     | Part Description      | Standard Number |                   |                  |
| 77  | 7203E                 | 30203           | 17×40×13.25       | 0.082            |
| 78  | 7204E                 | 30204           | 20×47×15.25       | 0.128            |
| 79  | 7205E                 | 30205           | 25×52×16.25       | 0.153            |
| 80  | 7206E                 | 30206           | 30×62×17.25       | 0.232            |
| 81  | 7207E                 | 30207           | 35×72×18.25       | 0.337            |
| 82  | 7208E                 | 30208           | 40×80×19.75       | 0.418            |
| 83  | 7208AR                | 30208AR         | 40×85×19.75       | 0.422            |
| 84  | 7209E                 | 30209           | 45×85×20.75       | 0.470            |
| 85  | F-801298-TR1P-H79-T29 |                 | 46×90×22          | 0.534            |
| 86  | 7210E                 | 30210           | 50×90×21.75       | 0.538            |
| 87  | 7210AR                | 30210AR         | 50×95×21.75       | 0.561            |
| 88  | 97210E                | 350210          | 50×90×48.5        | 1.160            |
| 89  | 7211E                 | 30211           | 55×100×22.75      | 0.715            |
| 90  | 7212E                 | 30212           | 60×110×23.75      | 0.905            |
| 91  | 7213E                 | 30213           | 65×120×24.75      | 1.120            |
| 92  | 7214E                 | 30214           | 70×125×26.25      | 1.260            |
| 93  | 7215E                 | 30215           | 75×130×27.25      | 1.360            |
| 94  | 7216E                 | 30216           | 80×140×28.25      | 1.670            |
| 95  | 7217E                 | 30217           | 85×150×30.5       | 2.080            |

| No. | Part Number      |                 | Dimension (DxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 96  | 7218E            | 30218           | 90×160×32.5       | 2.530            |
| 97  | 7219E            | 30219           | 95×170×34.5       | 3.060            |
| 98  | 7220E            | 30220           | 100×180×37        | 3.720            |
| 99  | 7221E            | 30221           | 105×190×39        | 4.390            |
| 100 | 7222E            | 30222           | 110×200×41        | 5.210            |
| 101 | 7224E            | 30224           | 120×215×43.5      | 6.190            |
| 102 | 7226E            | 30226           | 130×230×43.75     | 6.940            |
| 103 | 7228E            | 30228           | 140×250×45.75     | 8.750            |
| 104 | 7302E            | 30302           | 15×42×14.25       | 0.096            |
| 105 | 7303E            | 30303           | 17×47×15.25       | 0.130            |
| 106 | 7304E            | 30304           | 20×52×16.25       | 0.166            |
| 107 | 7305E            | 30305           | 25×62×18.25       | 0.266            |
| 108 | 7306E            | 30306           | 30×72×20.75       | 0.391            |
| 109 | 7307E            | 30307           | 35×80×22.75       | 0.484            |
| 110 | 7308E            | 30308           | 40×90×25.25       | 0.751            |
| 111 | 7308X2           | 30308X2         | 40×81.46×30       | 0.584            |
| 112 | 7309E            | 30309           | 45×100×27.25      | 0.985            |
| 113 | 7310E            | 30310           | 50×110×29.25      | 1.280            |
| 114 | 7311E            | 30311           | 55×120×31.5       | 1.610            |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 115 |                  | 30311R          | 55×127×31.5       | 1.670            |
| 116 | 7312E            | 30312           | 60×130×33.5       | 1.950            |
| 117 |                  | 30312R          | 60×137×33.5       | 2.020            |
| 118 | 7313E            | 30313           | 65×140×36         | 2.430            |
| 119 |                  | 30313B          | 65×140×36         | 2.420            |
| 120 | 7314E            | 30314           | 70×150×38         | 2.990            |
| 121 |                  | 30314X2N        | 70×150×41         | 3.100            |
| 122 | 7315E            | 30315           | 75×160×40         | 3.580            |
| 123 | 7316E            | 30316           | 80×170×42.5       | 4.270            |
| 124 | 7317E            | 30317           | 85×180×44.5       | 4.970            |
| 125 | 7318E            | 30318           | 90×190×46.5       | 5.790            |
| 126 | 7319E            | 30319           | 95×200×49.5       | 6.800            |
| 127 | 7320E            | 30320           | 100×215×51.5      | 8.200            |
| 128 | 27305E           | 31305           | 25×62×18.25       | 0.264            |
| 129 | 27306E           | 31306           | 30×72×20.75       | 0.393            |
| 130 | 27307E           | 31307           | 35×80×22.75       | 0.518            |
| 131 | 27308E           | 31308           | 40×90×25.25       | 0.727            |
| 132 | 27309E           | 31309           | 45×100×27.25      | 0.947            |
| 133 | 27310E           | 31310           | 50×110×29.25      | 1.220            |

| No. | Part Number      |                 | Dimension (DxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 134 | 27311E           | 31311           | 55×120×31.5       | 1.560            |
| 135 |                  | 31311X3         | 55×130×36         | 2.100            |
| 136 | 27312E           | 31312           | 60×130×33.5       | 1.910            |
| 137 | 27313E           | 31313           | 65×140×36         | 2.380            |
| 138 | 27314E           | 31314           | 70×150×38         | 2.880            |
| 139 | 27315E           | 31315           | 75×160×40         | 3.390            |
| 140 | 27316E           | 31316           | 80×170×42.5       | 4.080            |
| 141 | 7505E            | 32205           | 25×52×19.25       | 0.184            |
| 142 | 7506E            | 32206           | 30×62×21.25       | 0.290            |
| 143 |                  | 32204B P6X      |                   |                  |
| 144 | 7507E            | 32207           | 35×72×24.25       | 0.450            |
| 145 | 7508E            | 32208           | 40×80×24.75       | 0.535            |
| 146 | 7509E            | 32209           | 45×85×24.75       | 0.584            |
| 147 |                  | 32209AR         | 45×90×24.75       | 0.605            |
| 148 | 127509           |                 | 45×85×25          | 0.579            |
| 149 | 7510E            | 32210           | 50×90×24.75       | 0.646            |
| 150 |                  | 32210AR         | 50×95×24.75       | 0.669            |
| 151 | 7511E            | 32211           | 55×100×26.75      | 0.860            |
| 152 | 7512E            | 32212           | 60×110×29.75      | 1.160            |

## BEARING SPECIFICATIONS

| No. | Part Number           |                       | Dimension (dxDxT) | Unit Weight (Kg) |
|-----|-----------------------|-----------------------|-------------------|------------------|
|     | Part Description      | Standard Number       |                   |                  |
| 153 | 7513E                 | 32213                 | 65×120×32.75      | 1.540            |
| 154 |                       | 32213R                | 65×127×32.75      | 1.600            |
| 155 | 7514E                 | 32214                 | 70×125×33.25      | 1.630            |
| 156 | 7515E                 | 32215                 | 75×130×33.25      | 1.750            |
| 157 | 7516E                 | 32216                 | 80×140×35.25      | 2.130            |
| 158 | NP569484/<br>NP644537 | NP569484/<br>NP644537 | 82.0×140.0×36.5   | 2.135            |
| 159 |                       | 32216/YA              | 80×140×35.25      | 2.120            |
| 160 | 7517E                 | 32217                 | 85×150×38.5       | 2.690            |
| 161 | 7518E                 | 32218                 | 90×160×42.5       | 3.440            |
| 162 |                       | 32218/YA2             | 90.5×160×42.5     | 3.420            |
| 163 | 7519E                 | 32219                 | 95×170×45.5       | 4.240            |
| 164 |                       | 32219A                | 95×170×45.5       | 4.230            |
| 165 | 7520E                 | 32220                 | 100×180×49        | 5.100            |
| 166 | 7521E                 | 32221                 | 105×190×53        | 6.300            |
| 167 | 7522E                 | 32222                 |                   | 7.400            |
| 168 | 7524E                 | 32224                 | 120×215×61.5      | 9.260            |
| 169 | 7526E                 | 32226                 | 130×230×67.75     | 11.400           |
| 170 | 7528E                 | 32228                 | 140×250×71.75     | 14.400           |
| 171 | 7530E                 | 32230                 | 150×270×77        | 18.200           |

| No. | Part Number      |                 | Dimension (DxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 172 | 7536E            | 32236           | 180×320×91        | 29.800           |
| 173 |                  | 32240           | 200×360×98        | 43.600           |
| 174 | 7809             | 30609           | 45×90×38.5        | 1.110            |
| 175 | 7809K            |                 | 45×90×30          | 0.846            |
| 176 | 7605E            | 32305           | 25×62×25.25       | 0.367            |
| 177 | 7606E            | 32306           | 30×72×28.75       | 0.560            |
| 178 |                  | 32306AN         | 30×72×28.75       | 0.585            |
| 179 | 7607E            | 32307           | 35×80×32.75       | 0.770            |
| 180 |                  | 32307CN         | 35×80×32.75       | 0.809            |
| 181 | 7608E            | 32308           | 40×90×35.25       | 1.050            |
| 182 |                  | 32308CN         | 40×90×35.25       | 1.030            |
| 183 | 7609E            | 32309           | 45×100×38.25      | 1.400            |
| 184 | 7609BR           | 32309BR         | 45×106×38.25      | 1.500            |
| 185 | 7610E            | 32310           | 50×110×42.25      | 1.890            |
| 186 | 7611E            | 32311           | 50×120×45.5       | 2.370            |
| 187 |                  | 32311BRJ        | 55×120×127        | 2.500            |
| 188 | 7612E            | 32312           | 60×130×48.5       | 2.900            |
| 189 | 7613E            | 32313           | 65×140×51         | 3.510            |
| 190 |                  | 32313R          | 65×147×51         | 3.610            |



## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT) | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------|------------------|
|     | Part Description | Standard Number |                   |                  |
| 191 |                  | 32313B          | 65×140×51         | 3.660            |
| 192 | 7614E            | 32314           | 70×150×54         | 4.350            |
| 193 |                  | 32314A          | 70×150×54         | 4.300            |
| 194 |                  | 32314B          | 70×150×54         | 4.470            |
| 195 | 7615E            | 32315           | 75×160×58         | 5.280            |
| 196 | 7616E            | 32316           | 80×170×61.5       | 6.380            |
| 197 | 7617E            | 32317           | 85×180×63.5       | 7.300            |
| 198 | 7618E            | 32318           | 90×190×67.5       | 8.780            |
| 199 | 7620E            | 32320           | 100×215×77.5      | 13.000           |
| 200 | 7622E            | 32322           | 110×240×84.5      | 17.800           |
| 201 |                  | 32960           | 300×420×76        | 30.50            |
| 202 | 76/32B           |                 | 32×75×29.75       | 0.623            |
| 203 | 27709            | 30309X2B        | 45×100×31.75      | 1.060            |
| 204 | 27709K           |                 | 45×100×32         | 1.070            |
| 205 | 7813E            | 30613           | 65×110×30.5       | 1.130            |
| 206 | 7815E            | 30615           | 75×135×44.5       | 2.720            |
| 207 | 7816E            | 30616           | 80×140×45         | 2.820            |
| 208 | 7819E            | 30619           | 95×160×47         | 3.650            |
| 209 | 7821E            | 30621           | 105×170×56        | 4.770            |

| No. | Part Number        |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|--------------------|-----------------|------------------------|------------------|
|     | Part Description   | Standard Number |                        |                  |
| 210 | 7909               | 306/47          | 47×100×43              | 1.660            |
| 211 | BT1-0097C/BT1-0097 |                 | 40×90×28.75            | 1.000            |
| 212 | 5BC                |                 |                        |                  |
| 213 | 11BC               |                 |                        |                  |
| 214 | 35BC               |                 |                        |                  |
| 215 | 45BC               |                 |                        |                  |
| 216 | T2CD018            |                 | 90×140×36.4            | 1.920            |
| 217 | 02474/02420        |                 | 28.575×68.262×22.225   | 0.406            |
| 218 | 02475/02420        |                 | 31.75×68.262×22.225    | 0.375            |
| 219 | 02476/02420        |                 | 31.75×68.262×22.225    | 0.378            |
| 220 | 02872/20           |                 | 28.575×73.025×22.225   | 0.476            |
| 221 | T4AA045R-1         |                 | 45×106×20.75           | 0.778            |
| 222 | 07100/204B         |                 | 25.400×55.8546×15.0114 |                  |
| 223 | 08125/08231        |                 | 31.750×58.738×14.684   | 0.170            |
| 224 | 09067/195          |                 | 19.05×49.225×18.034    | 0.176            |
| 225 | 09081/195          |                 | 20.625×49.225×19.845   | 0.177            |
| 226 | JP9049/9010        |                 | 90×135×24              | 1.09             |
| 227 | JP10049/10         | T4CB100         | 100×145×24             | 1.17             |

## BEARING SPECIFICATIONS

| No. | Part Number           |                 | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------|------------------------|------------------|
|     | Part Description      | Standard Number |                        |                  |
| 228 | JP10049N/<br>JP10010N | T4CB100         | 100×145×24             | 1.17             |
| 229 | JF10049/10            | T2EE100         | 100×165×47             | 4.25             |
| 230 | JP12049/<br>JP12010   |                 | 120.000×170.000×27.000 | 1.62             |
| 231 | JP12049A/<br>JP12010  |                 | 120.000×170.000×27.000 | 1.60             |
| 232 | LM102949/10           |                 | 45.242×73.431×19.558   | 0.303            |
| 233 | JLM104947A/10         |                 | 50×82×21.976           | 0.434            |
| 234 | JLM104948/10          |                 | 50×82×21.5             | 0.422            |
| 235 | JLM104946/10          |                 | 50×82×21.5             | 0.435            |
| 236 | LM104949/11           |                 | 50.8×82.55×21.59       |                  |
| 237 | LM104949/11A          |                 | 50.8×82.55×23.622      | 0.42             |
| 238 | LM104949/12           |                 | 50.8×82.931×21.59      | 0.426            |
| 239 |                       |                 | 50.8×82.55×21.59       | 0.425            |
| 240 |                       |                 | 50.8×82.659×21.59      | 0.426            |
| 241 | LM11749/10            |                 | 17.462×39.878×13.843   | 0.0821           |
| 242 | LM11949/10            |                 | 19.05×45.237×15.494    | 0.124            |
| 243 | M12649/10             |                 | 21.43×50.005×17.526    | 0.173            |
| 244 | LM12748/11            |                 | 21.43×46×15.494        | 0.118            |

| No. | Part Number      |                 | Dimension (DxDxT)    | Unit Weight (Kg) |
|-----|------------------|-----------------|----------------------|------------------|
|     | Part Description | Standard Number |                      |                  |
| 245 | LM12748/10       |                 | 21.43×45.237×15.494  | 0.118            |
| 246 | LM12749/10       |                 | 22×45.237×15.494     | 0.115            |
| 247 | LM12749/11       |                 | 22×46×15.494         | 0.115            |
| 248 | 13C              |                 | 49.225×11.509        | 0.115            |
| 249 | JP13049A/10      |                 | 130×185×29           | 0.115            |
| 250 | TR131305R        |                 | 65×130×51            | 0.115            |
| 251 | 13682/21         |                 | 36.512×69.012×19.05  |                  |
| 252 | 13685/21         |                 | 38.1×69.012×19.05    | 0.29             |
| 253 | 13686/20         |                 | 38.1×69.012×26.195   | 0.356            |
| 254 | 13687/20         |                 | 38.1×69.012×19.05    | 0.297            |
| 255 | 13687/21         |                 | 38.1×69.012×19.05    | 0.293            |
| 256 | T4CB100          |                 | 100×145×24           | 1.15             |
| 257 | T4CB140/P6X      |                 | 140×195×29           | 2.38             |
| 258 | 14XS             |                 | 57.092×17.094        | 0.174            |
| 259 | 14116/276        |                 | 30.226×69.012×19.845 | 0.365            |
| 260 | 14123A/276       |                 | 31.75×69.012×26.982  | 0.394            |
| 261 | 14124/276        |                 | 31.75×69.012×19.845  | 0.354            |
| 262 | 14125A/276       |                 | 31.750×69.012×19.845 | 0.349            |
| 263 | 14131/276        |                 | 33.338×69.012×19.845 | 0.341            |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)    | Unit Weight (Kg) |
|-----|------------------|-----------------|----------------------|------------------|
|     | Part Description | Standard Number |                      |                  |
| 264 | 14136A/276       |                 | 34.925×69.012×26.853 | 0.361            |
| 265 | 14137A/276       |                 | 34.925×69.012×19.845 | 0.325            |
| 266 | 14138A/274       |                 | 34.925×69.012×19.845 | 0.319            |
| 267 | 14138A/276       |                 | 34.925×69.012×19.845 | 0.325            |
| 268 | 14585/14525      |                 | 34.925×68.262×20.638 | 0.317            |
| 269 | 15101/245        |                 | 25.400×62.000×19.050 | 0.287            |
| 270 | 15100/245        |                 | 25.400×62.000×19.050 | 0.285            |
| 271 | 15103S/245       |                 | 26.162×62.000×19.05  | 0.279            |
| 272 | 15106/250X       |                 | 26.988×63.5×20.638   | 0.308            |
| 273 | 15112/15245      |                 | 28.575×62×19.05      | 0.263            |
| 274 | 15113/245        |                 | 28.575×62×19.05      | 0.266            |
| 275 | 15116/245        |                 | 30.112×62×19.05      | 0.254            |
| 276 | 15117/245        |                 | 29.987×62×19.05      | 0.256            |
| 277 | 15118/245        |                 | 30.213×62×19.05      | 0.285            |
| 278 | 15120/250        |                 | 30.213×63.5×20.638   | 0.254            |
| 279 | 15125/245        |                 | 31.75×62×19.05       | 0.238            |
| 280 | 15126/245        |                 | 31.75×62×19.05       | 0.242            |
| 281 | 15123/243        |                 | 31.75×61.912×18.161  | 0.241            |
| 282 | 15123/245        |                 | 31.75×61.912×18.161  | 0.241            |

| No. | Part Number      |                 | Dimension (DxDxT)    | Unit Weight (Kg) |
|-----|------------------|-----------------|----------------------|------------------|
|     | Part Description | Standard Number |                      |                  |
| 283 | 15123S/245       |                 | 31.75×62×18.161      | 0.243            |
| 284 | 15578/20         |                 | 25.4×57.15×17.462    | 0.212            |
| 285 | 15579X/20        |                 | 26×57.15×17.462      | 0.207            |
| 286 | 15580/20         |                 | 26.988×57.15×17.462  | 0.201            |
| 287 | J15585/20        |                 | 25.4×57.15×17.462    | 0.212            |
| 288 | 15590/20         |                 | 28.575×57.15×17.462  | 0.191            |
| 289 | 16137/16282      |                 | 34.925×72×19         | 0.36             |
| 290 | 16150/16282      |                 | 38.1×72×19           | 0.33             |
| 291 | 16150/16283      |                 | 38.100×72.238×23.812 | 0.39             |
| 292 | 16150/16284      |                 | 38.1×72.238×20.638   | 0.353            |
| 293 | J16154/J16285    |                 | 39×72.014×21.4       | 0.35             |
| 294 | CBK172           |                 | 40×70×17             | 0.266            |
| 295 | 1755/1729        |                 | 22.225×56.896×19.368 | 0.258            |
| 296 | 1779/29          |                 | 23.812×56.896×19.368 | 0.25             |
| 297 | 1780/29          |                 | 25.4×56.896×19.368   | 0.24             |
| 298 | 1780/30          |                 | 25.4×53.975×19.368   |                  |
| 299 | 17887/31         |                 | 45.23×79.985×19.842  | 0.41             |
| 300 | 18590/20         |                 | 41.275×73.025×16.667 | 0.28             |
| 301 | 1986/32          |                 | 25.4×58.738×19.05    | 0.251            |

## BEARING SPECIFICATIONS

| No. | Part Number           |                 | Dimension (dxDxT)     | Unit Weight (Kg) |
|-----|-----------------------|-----------------|-----------------------|------------------|
|     | Part Description      | Standard Number |                       |                  |
| 302 | 1988/22               |                 | 28.575×57.150×19.355  |                  |
| 303 | 1986/22               |                 | 25.400×57.150×19.845  | 0.24             |
| 304 | 19150/19282           |                 | 38.100×72.000×17.018  |                  |
| 305 | 19150/19283X          |                 | 38.100×72.000×17.018  |                  |
| 306 | 21075/212             |                 | 19.05×53.975×22.225   | 0.247            |
| 307 | JH211749/10           |                 | 65×120×39             | 1.87             |
| 308 | HM212044/11           |                 | 60.325×122.238×38.1   | 2.02             |
| 309 | HM212046/11           |                 | 63.5×122.238×38.1     | 1.95             |
| 310 | HM212047/10           |                 | 63.5×122.238×38.1     | 1.84             |
| 311 | HM212047/11           |                 | 63.5×122.238×38.1     | 1.840            |
| 312 | HM212049/11           |                 | 66.675×122.238×38.1   | 1.85             |
| 313 | HM212049/10           |                 | 66.675×122.238×38.1   | 1.86             |
| 314 | HM212049X/11          |                 | 66.675×122.238×38.1   | 1.83             |
| 315 | HM215249/<br>HM215210 |                 | 75.987×131.976×39.000 | 2.11             |
| 316 | 34306/34478           |                 | 77.788×121.442×24.608 | 0.91             |
| 317 | L21549/11             |                 | 15.875×34.988×10.988  | 0.0475           |
| 318 | A4044/A4138           | A4044/<br>A4138 | 11.112×34.988×10.998  | 0.06             |

| No. | Part Number          |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|----------------------|-----------------|------------------------|------------------|
|     | Part Description     | Standard Number |                        |                  |
| 319 | L217849/<br>L217810  |                 | 88.900×123.825×20.638  | 0.74             |
| 320 | LL217849/<br>L217810 |                 | 88.900×121.442×15.083  | 0.47             |
| 321 | L432348/<br>L432310  |                 | 158.750×205.583×23.812 |                  |
| 322 |                      |                 | 79.974×150×42          | 3.14             |
| 323 | HM218238/10          |                 | 79.975×146.975×40.000  | 2.95             |
| 324 | HM218248/10          |                 | 89.974×146.975×40      | 2.45             |
| 325 | HM220149/10          |                 | 99.974×156.975×42      | 2.86             |
| 326 | LL225749/10          |                 | 127×165.895×18.258     | 0.914            |
| 327 | 23100/23256          |                 | 25.4×65.088×22.225     | 0.358            |
| 328 | 23491/23420          |                 | 31.750×68.262×26.988   | 0.46             |
| 329 | 24780/20             |                 | 41.275×76.2×22.225     | 0.424            |
| 330 | 24780/21             |                 | 41.275×76.2×25.4       | 0.462            |
| 331 | 2558/25235           |                 | 30.162×69.850×23.812   | 0.46             |
| 332 | 2580/23              |                 | 31.75×69.85×23.812     | 0.448            |
| 333 | 2580/20              |                 | 31.75×66.421×25.4      | 0.401            |
| 334 | 2585/20              |                 | 33.338×66.421×25.4     | 0.382            |
| 335 | 26112/26283          |                 | 28.575×72.000×19.000   | 0.39             |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)    | Unit Weight (Kg) |
|-----|------------------|-----------------|----------------------|------------------|
|     | Part Description | Standard Number |                      |                  |
| 336 | 26882/26820      |                 | 31.75×66.421×25.4    | 0.401            |
| 337 | 26882/22         |                 | 41.275×80.167×25.4   | 0.553            |
| 338 | 26884/23         |                 | 42.875×76.2×25.4     | 0.46             |
| 339 | 2780/20          |                 | 36.487×76.2×23.812   | 0.514            |
| 340 | 2785/20          |                 | 33.338×76.2×23.812   | 0.544            |
| 341 | 2788/20          |                 | 38.1×76.2×23.812     | 0.49             |
| 342 | 2788A/20         |                 | 38.1×76.2×23.812     | 0.495            |
| 343 | 2788/29          |                 | 39.1×76.2×23.812     | 0.496            |
| 344 | 2789/29          |                 | 39.688×76.2×23.812   | 0.477            |
| 345 | 2790/29          |                 | 33.338×76.2×23.812   | 0.555            |
| 346 | 2793/20          |                 | 34.925×76.2×23.812   | 0.53             |
| 347 | 2793X/35X        |                 | 34.925×73.025×23.812 | 0.481            |
| 348 | 2794/2720        |                 | 36.487×76.2×23.812   | 0.51             |
| 349 | 2796/20          |                 | 34.925×76.2×23.812   | 0.527            |
| 350 | 25570/25520      |                 | 36.512×82.931×23.812 | 0.651            |
| 351 | 25572/25520      |                 | 38.1×82.931×23.812   | 0.642            |
| 352 | 25577/21         |                 | 42.875×83.058×23.812 | 0.572            |
| 353 | 25577/22         |                 | 42.875×83.058×23.876 | 0.576            |
| 354 | 25577/23         |                 | 42.875×82.913×26.988 | 0.622            |

| No. | Part Number      |                 | Dimension (DxDxT)    | Unit Weight (Kg) |
|-----|------------------|-----------------|----------------------|------------------|
|     | Part Description | Standard Number |                      |                  |
| 355 | 25578/20         |                 | 42.862×82.931×23.812 | 0.581            |
| 356 | 25580/20         |                 | 44.45×82.931×23.812  | 0.561            |
| 357 | 25581/25520      |                 | 44.45×82.931×23.812  | 0.56             |
| 358 | 25584/20         |                 | 44.938×82.931×23.812 | 0.552            |
| 359 | 25590/25519      |                 | 45.618×82.55×23.812  | 0.53             |
| 360 | 25590/20         |                 | 45.618×82.931×23.812 | 0.54             |
| 361 | 25877/20         |                 | 34.925×73.025×23.812 | 0.466            |
| 362 | 25878/20         |                 | 34.925×73.025×23.812 | 0.462            |
| 363 | 25877A/21        |                 | 34.925×73.025×23.812 | 0.47             |
| 364 | 25880/25820      |                 | 36.487×73.025×23.812 | 0.449            |
| 365 | 25880/25821      |                 | 36.487×73.025×23.812 | 0.451            |
| 366 | 2687/2631        |                 | 25.400×66.421×23.812 | 0.44             |
| 367 | 26878/22         |                 | 38.100×79.375×23.812 | 0.57             |
| 368 | 26882/20         |                 | 41.275×80.167×25.4   | 0.553            |
| 369 | 26884/23         |                 | 42.875×76.2×25.4     | 0.46             |
| 370 | 26886/20         |                 | 42.875×80.167×25.4   | 0.537            |
| 371 | 27684/20         |                 | 76.2×125.412×25.4    | 1.23             |
| 372 | 27687/20         |                 | 82.55×125.412×25.4   | 1.08             |
| 373 | 27690/20         |                 | 83.345×125.412×25.4  | 1.05             |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)     | Unit Weight (Kg) |
|-----|------------------|-----------------|-----------------------|------------------|
|     | Part Description | Standard Number |                       |                  |
| 374 | 27880/20         |                 | 38.1×80.035×24.608    | 0.563            |
| 375 | 28579/21         |                 | 49.987×92.075×24.608  | 0.708            |
| 376 | 28580/21         |                 | 50.8×92.075×24.608    | 0.695            |
| 377 | 28584/20         |                 | 52.38×89.98×24.75     | 0.618            |
| 378 | 28584/21         |                 | 52.388×92.075×24.608  | 0.668            |
| 379 | 28678/22B        |                 | 50.800×101.498×24.608 | 0.865            |
| 380 | 28680/22         |                 | 55.562×97.63×24.608   | 0.782            |
| 381 | 28680/23         |                 | 55.562×98.425×24.608  | 0.8              |
| 382 | 28682/22         |                 | 57.15×97.63×24.608    | 0.755            |
| 383 | 28985/21         |                 | 60.325×100×25.4       | 0.75             |
| 384 | 28985/20         |                 | 60.325×101.6×25.4     | 0.79             |
| 385 | 28990/28919      |                 | 61.976×99.979×23.812  | 0.71             |
| 386 | 28995/21         |                 | 62.738×100×25.4       | 0.706            |
| 387 | 29585/20         |                 | 63.5×107.95×25.4      | 0.929            |
| 388 | 29586/22         |                 | 63.5×107.95×25.4      | 0.945            |
| 389 | 29590/21         |                 | 66.675×110×25.4       | 0.925            |
| 390 | 29590/22         |                 | 66.675×107.95×25.4    | 0.874            |
| 391 | 29675/20         |                 | 69.85×112.712×25.4    | 0.937            |
| 392 | 29675/30         |                 | 69.85×120.65×25.4     | 1.15             |

| No. | Part Number         |                 | Dimension (DxDxT)     | Unit Weight (Kg) |
|-----|---------------------|-----------------|-----------------------|------------------|
|     | Part Description    | Standard Number |                       |                  |
| 393 | 29685/20            |                 | 73.025×112.712×25.4   | 0.861            |
| 394 | 2984/2924           |                 | 46.038×85.000×25.400  | 0.65             |
| 395 | 717813-4            |                 | 71.6×115 121 ×74.2    | 2.62             |
| 396 | LM29748/10          |                 | 38.1×65.088×18.034    | 0.233            |
| 397 | LM29749/11          |                 | 38.1×65.088×19.812    | 0.251            |
| 398 | LM300849/11         |                 | 41×68×17.5            | 0.242            |
| 399 | 302/32              |                 | 32×65×18.25           | 0.261            |
| 400 | 302/32AX            |                 | 44.5×65×27.25         | 0.306            |
| 401 | L305649/<br>L305610 |                 | 50.800×80.962×18.258  | 0.35             |
| 402 | 31594/20            |                 | 34.925×76.2×29.37     | 0.632            |
| 403 | 322/312             |                 | 29.972×72.626×26.993  | 0.49             |
| 404 | 342A/332            |                 | 41.275×80.000×28.572  | 0.45             |
| 405 | 32408X3B            |                 | 40×105×45             | 2                |
| 406 | BT1B328053          |                 | 41×68×19              | 0.256            |
| 407 | BT1B329013A/Q       |                 | 29×50.292×14.224      | 0.12             |
| 408 | 717813-2            |                 | 68.6×115 121 ×180.112 | 6.99             |
| 409 | 717813-3            |                 | 71.6×115 121 ×180.112 | 6.92             |
| 410 | 33262/33461         |                 | 66.675×117.475×30.162 | 1.35             |
| 411 | 33275/462           |                 | 69.85×117.475×30.162  | 1.28             |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|------------------|-----------------|------------------------|------------------|
|     | Part Description | Standard Number |                        |                  |
| 412 | 66225/66462      |                 | 57.150×117.475×33.338  | 1.33             |
| 413 | 33275/472        |                 | 69.85×120×29.794       | 1.37             |
| 414 | 33281/462        |                 | 71.438×117.475×30.162  | 1.24             |
| 415 | 33287/33462      |                 | 73.025×117.475×30.162  | 1.25             |
| 416 | 33281/472        |                 | 71.438×120×29.794      | 1.33             |
| 417 | 33880/33821      |                 | 38.100×95.250×27.783   | 1.05             |
| 418 | 33885/22         |                 | 44.45×95.25×27.738     | 0.977            |
| 419 | 33889/21         |                 | 50.8×95.25×27.738      | 0.862            |
| 420 | 33891/21         |                 | 52.388×95.250×27.738   | 0.832            |
| 421 | 33895/33822      |                 | 53.975×95.25×27.738    | 0.812            |
| 422 | 3476/20          |                 | 31.75×79.375×29.37     | 0.745            |
| 423 | 3478/20          |                 | 34.925×79.375×29.37    | 0.703            |
| 424 | M348449/10       |                 | 247.650×346.075×63.500 | 17.51            |
| 425 | 3490/20          |                 | 38.1×79.375×29.37      | 0.661            |
| 426 | 3577/3520        |                 | 41.275×84.138×30.162   | 0.752            |
| 427 | 3578/20          |                 | 44.45×84.138×30.162    | 0.7              |
| 428 | 3579/25          |                 | 42.862×87.312×30.162   | 0.806            |
| 429 | 3585/3525        |                 | 41.275×87.312×30.162   | 0.835            |
| 430 | 3586/3525        |                 | 45.237×87.312×30.162   | 0.75             |

| No. | Part Number      |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|------------------|-----------------|------------------------|------------------|
|     | Part Description | Standard Number |                        |                  |
| 431 | 3379/20          |                 | 34.925×80.167×29.37    | 0.729            |
| 432 | 3381/20          |                 | 38.100×80.167×29.370   | 0.685            |
| 433 | 3382/20          |                 | 39.688×80.167×29.370   | 0.662            |
| 434 | 3386/20          |                 | 39.688×80.167×29.370   | 0.666            |
| 435 | 34294/34500      |                 | 74.976×127.000×26.988  | 1.200            |
| 436 | 34300/34478B     |                 | 76.200×121.442×24.608  | 0.96             |
| 437 | 355X/352         |                 | 44.450×90.119×23.000   | 0.67             |
| 438 | 355A/354A        |                 | 44.450×85.000×20.638   | 0.52             |
| 439 | 359S/354A        |                 | 46.038×85.000×20.638   | 0.49             |
| 440 | 36X              |                 | 64.287×13.096          | 0.100            |
| 441 | 367/362          |                 | 45.000×90.000×20.000   | 0.601            |
| 442 | 368/363          |                 | 50.800×90.000×20.000   | 0.557            |
| 443 | 368/362X         |                 | 50.800×90.000×25.000   | 0.594            |
| 444 | 368A/363A        |                 | 50.800×88.900×20.638   | 0.513            |
| 445 | 368S/362A        |                 | 51.592×88.900×20.638   | 0.502            |
| 446 | 37425/625        |                 | 107.950×158.750×23.020 | 1.38             |
| 447 | 37431A/37625     |                 | 109.538×158.75×21.438  | 1.3173           |
| 448 | 3767/20          |                 | 52.388×93.264×30.162   | 0.795            |
| 449 | 3776/20          |                 | 44.983×93.264×30.162   | 0.927            |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)    | Unit Weight (Kg) |
|-----|------------------|-----------------|----------------------|------------------|
|     | Part Description | Standard Number |                      |                  |
| 450 | 3780/20          |                 | 50.800×93.264×30.162 | 0.825            |
| 451 | 3782/3730        |                 | 44.450×93.264×30.162 | 0.945            |
| 452 | 3784/3720        |                 | 50.800×93.264×30.162 | 0.82             |
| 453 | 3795/3720        |                 | 50.800×93.264×30.162 |                  |
| 454 | 38A              |                 | 69.85×23.368         | 0.305            |
| 455 | 385A/382A        |                 | 50.800×96.838×21.000 | 0.693            |
| 456 | 386A/382A        |                 |                      |                  |
| 457 | 387/382          |                 | 57.150×98.425×21.000 | 0.649            |
| 458 | 387A/382         |                 | 57.150×98.425×21.000 | 0.646            |
| 459 | 387A/382S        |                 | 57.150×96.838×25.400 | 0.666            |
| 460 | 387A/382A        |                 | 57.150×96.838×21.000 | 0.599            |
| 461 | 387AS/382A       |                 | 57.150×96.838×21.000 | 0.593            |
| 462 | 387S/383A        |                 | 57.150×100.00×21.000 | 0.682            |
| 463 | 389A/383A        |                 | 53.975×100.00×21.000 | 0.729            |
| 464 | 3872/20          |                 | 34.925×85.725×30.162 | 0.88             |
| 465 | 3877/20          |                 | 41.275×85.725×30.162 | 0.793            |
| 466 | 3879/3820        |                 | 40.000×85.725×30.162 | 0.82             |
| 467 | 3880/3820        |                 | 41.275×85.725×30.162 | 0.81             |
| 468 | 18790/18720      |                 | 50.800×85.000×17.462 | 0.36             |

| No. | Part Number           |                       | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------------|------------------------|------------------|
|     | Part Description      | Standard Number       |                        |                  |
| 469 | 38880/38820           |                       | 263.525×325.438×28.575 | 5.15             |
| 470 | 390A/394A             |                       | 63.500×110.000×22.000  | 0.845            |
| 471 | 390A/394AB            |                       | 63.500×114.673×22.000  | 0.876            |
| 472 | 390/394A              |                       | 57.15×110×22           | 0.947            |
| 473 | 717813                |                       | 63.500×114.673×60.177  | 2.25             |
| 474 | 395/394A              |                       | 63.500×110.000×22.000  | 0.84             |
| 475 | 395A/394A             |                       | 66.675×110.000×22.000  | 0.791            |
| 476 | 395S/394A             |                       | 66.675×110.000×22.000  | 0.784            |
| 477 | 397/394A              |                       | 60.000×110.000×22.000  | 0.90             |
| 478 | 399AS/394A            |                       | 68.262×110.000×22.000  | 0.747            |
| 479 | LM613449/<br>LM613410 | LM613449/<br>LM613410 | 69.850×112.712×22.225  | 0.78             |
| 480 | 39250/39412           |                       | 63.500×104.775×21.433  | 0.685            |
| 481 | 39580/39528           |                       | 57.150×119.985×32.75   | 1.74             |
| 482 | 39573/39520           |                       | 50.800×112.712×30.162  | 1.51             |
| 483 | 39580/39520           |                       | 57.150×112.712×30.162  | 1.38             |
| 484 | 39581/20              |                       | 57.150×112.712×30.162  | 1.36             |
| 485 | 39585/39520           |                       | 63.500×112.712×30.162  | 1.24             |
| 486 | 39590/39520           |                       | 66.675×112.712×30.162  | 1.160            |
| 487 | 39590/39521           |                       | 66.675×112.712×30.162  | 1.18             |



## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)       | Unit Weight (Kg) |
|-----|------------------|-----------------|-------------------------|------------------|
|     | Part Description | Standard Number |                         |                  |
| 488 | 3975/20          |                 | 50.800×112.713×30.163   | 1.49             |
| 489 | 3979/20          |                 | 57.150×112.713×30.163   | 1.36             |
| 490 | 3980/3920        |                 | 60.325×112.712×30.162   | 1.30             |
| 491 | 3982/20          |                 | 63.50×112.713×30.162    | 1.22             |
| 492 | 3982/3926        |                 | 63.50×112.712×33.338    |                  |
| 493 | 717813-1         |                 | 63.525×115 121 ×167.125 | 6.11             |
| 494 | 7913             | 3984/20         | 66.675×112.713×30.163   | 1.14             |
| 495 | 3994/20          |                 | 66.675×112.713×30.162   | 1.13             |
| 496 | 4A/6             |                 | 19.050×44.450×12.700    | 0.0913           |
| 497 | 418/412          |                 | 38.100×82.550×34.925    | 0.79             |
| 498 | 418/414          |                 | 38.100×88.500×26.988    | 0.831            |
| 499 | 420/414          |                 | 40.000×88.500×26.988    | 0.805            |
| 500 | 42346/42584      |                 | 87.960×148.430×28.575   | 1.96             |
| 501 | 42368/584        |                 | 93.662×148.430×28.575   | 1.75             |
| 502 | 42375/584        |                 | 95.250×148.430×28.575   | 1.7              |
| 503 | 42381/42584      |                 | 96.838×148.43×28.575    | 1.64             |
| 504 | 42687/42620      |                 | 76.200×127.000×30.162   | 1.43             |
| 505 | 436/432          |                 | 46.038×95.250×27.783    | 0.91             |
| 506 | 438/432          |                 | 44.450×95.250×27.783    | 0.93             |

| No. | Part Number           |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------|------------------------|------------------|
|     | Part Description      | Standard Number |                        |                  |
| 507 | 4388/4335             |                 | 41.275×90.488×39.688   | 1.25             |
| 508 | 4395/4335             |                 | 42.070×90.488×39.688   | 1.23             |
| 509 | 43132/43312           |                 | 33.338×79.375×25.400   | 0.57             |
| 510 | 44162/348             |                 | 41.275×88.500×25.400   | 0.679            |
| 511 | L44642L/L44610        |                 | 25.400×50.292×15.875   | 0.132            |
| 512 | L44643/10             |                 | 25.400×50.292×14.224   | 0.129            |
| 513 | L44643A/10            |                 | 25.400×50.292×23.000   | 0.178            |
| 514 | L44643L/10            |                 | 25.400×50.292×14.224   | 0.134            |
| 515 | L44649/10             |                 | 26.988×50.292×14.224   | 0.122            |
| 516 | LM451349/<br>LM451310 |                 | 266.700×355.600×57.150 |                  |
| 517 | 45280/20              |                 | 44.45×104.775×30.162   | 1.33             |
| 518 | 45282/20              |                 | 47.625×104.775×30.162  | 1.27             |
| 519 | 45284/20              |                 | 50.8×104.775×30.162    | 1.2              |
| 520 | 45285/45220           |                 | 50.8×104.775×30.958    |                  |
| 521 | 45285A/20             |                 | 50.8×104.775×30.162    | 1.21             |
| 522 | 45291/20              |                 | 57.15×104.775×30.162   | 1.07             |
| 523 | L45449/10             |                 | 29×50.292×14.224       | 0.113            |
| 524 | 46                    |                 | 79.375×13.208          | 0.168            |
| 525 | 455/453A              |                 | 50.8×107.95×27.783     | 1.25             |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)     | Unit Weight (Kg) |
|-----|------------------|-----------------|-----------------------|------------------|
|     | Part Description | Standard Number |                       |                  |
| 526 | 455S/453X        |                 | 50.8×104.775×30.162   | 1.19             |
| 527 | 458S/453A        |                 | 45.000×107.950×27.783 | 1.33             |
| 528 | 460/453A         |                 | 44.45×107.95×27.783   | 1.35             |
| 529 | 461/453          |                 | 42.85×107.95×27.795   | 1.42             |
| 530 | 7911             | 462/453X        | 57.15×104.775×30.162  | 1.07             |
| 531 | 469/453A         |                 | 57.15×107.95×27.783   | 1.12             |
| 532 | 469/453X         |                 | 57.15×104.775×30.162  | 1.06             |
| 533 | 47               |                 | 87.313×25.654         | 0.557            |
| 534 | 47487/20         |                 | 69.85×120×32.545      | 1.47             |
| 535 | 47487/20A        |                 | 69.85×120×32.545      | 1.48             |
| 536 | 47490/20         |                 | 71.438×120×32.545     | 1.43             |
| 537 | 475/472          |                 | 55.000×120.000×29.794 | 1.65             |
| 538 | 47679/20         |                 | 76.2×133.35×33.338    | 1.96             |
| 539 | 47686/20         |                 | 82.55×133.35×33.338   | 1.75             |
| 540 | 47686/20A        |                 | 82.55×133.35×33.338   | 1.77             |
| 541 | 47687/20         |                 | 82.55×133.35×33.338   | 1.73             |
| 542 | 47890/47820      |                 | 92.075×146.050×33.338 | 1.78             |
| 543 | 479/472          |                 | 66.675×120×29.794     | 1.39             |
| 544 | 480/472          |                 | 68.262×120×29.794     | 0.129            |

| No. | Part Number      |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|------------------|-----------------|------------------------|------------------|
|     | Part Description | Standard Number |                        |                  |
| 545 | 48190/48120      |                 | 107.95×161.925×34.925  |                  |
| 546 | 482/472          |                 | 69.85×120×29.794       | 0.129            |
| 547 | 48286/48220      |                 | 123.825×182.562×39.688 |                  |
| 548 | 484/472          |                 | 70×120×29.794          | 1.32             |
| 549 | LM48548/10       |                 | 34.925×65.088×18.034   | 0.257            |
| 550 | LM48584/11A      |                 | 34.925×65.088×21.082   | 0.283            |
| 551 | 48684/48620      |                 | 142.875×200.025×41.275 | 3.74             |
| 552 | 49162/368        |                 | 41.275×93.663×31.75    | 1.05             |
| 553 | 49175/368        |                 | 44.45×93.663×31.75     | 0.998            |
| 554 | 495/493          |                 | 82.55×136.525×30.162   | 1.64             |
| 555 | 495A/493         |                 | 76.2×136.525×30.162    | 1.83             |
| 556 | 495AX/493        |                 | 76.2×136.525×30.162    | 1.81             |
| 557 | 496/493          |                 | 80.962×136.525×30.162  | 1.69             |
| 558 | 497/492A         |                 | 85.725×133.35×30.162   | 1.43             |
| 559 | 497/493          |                 | 85.725×136.525×30.162  | 1.55             |
| 560 | 498/492A         |                 | 84.138×133.35×30.162   | 1.48             |
| 561 | 498/493          |                 | 84.138×136.525×30.162  | 1.59             |
| 562 | LM501349/10      |                 | 41.275×73.431×19.558   | 0.333            |
| 563 | LM501349/11      |                 | 41.275×73.431×23.012   | 0.371            |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|------------------|-----------------|------------------------|------------------|
|     | Part Description | Standard Number |                        |                  |
| 564 | LM501349/14      |                 | 41.275x73.431x21.43    | 0.353            |
| 565 | LM503349A/10     |                 | 45.987x74.976x18       | 0.295            |
| 566 | TIM-             |                 | 114.3x190.5x47.625     | 5.11             |
| 567 | JLM506849/10     | 50KW02          | 55x90x23               | 0.551            |
| 568 | JLM506849A/11    |                 | 55x90x25               | 0.576            |
| 569 | JLM508748/10     |                 | 60x95x24               | 0.590            |
| 570 | JM511945/10      |                 | 65x110x28              | 1.08             |
| 571 | JM511946/10      |                 | 65x110x28              | 1.06             |
| 572 | JM515649/10      |                 | 80x130x35              | 1.71             |
| 573 | HM516448/10      |                 | 82.55x133.35x39.688    | 2.14             |
| 574 | HM516449A/10     |                 | 82.55x133.35x39.688    | 2.15             |
| 575 | HM518445/10      |                 | 88.9x152.4x39.688      | 2.82             |
| 576 | L521949/10       |                 | 107.95x146.05x21.433   | 0.977            |
| 577 | 53176/53387      |                 | 44.45x98.425x30.958    | 1.01             |
| 578 | 525/522          |                 | 38.100x101.600x34.925  | 1.48             |
| 579 | 529/522          |                 | 50.800x101.600x34.925  | 1.24             |
| 580 | 52400/52618      |                 | 101.600x157.162x36.512 | 2.39             |
| 581 | 56425/56650      |                 | 107.95x165.10x36.512   | 2.60             |
| 582 | 56418/56650      |                 | 106.362x165.10x36.512  | 2.68             |

| No. | Part Number           |                 | Dimension (DxDxT)     | Unit Weight (Kg) |
|-----|-----------------------|-----------------|-----------------------|------------------|
|     | Part Description      | Standard Number |                       |                  |
| 583 | 56425/56662           |                 | 107.95x168.275x36.512 | 2.78             |
| 584 | 59175/59412           |                 | 44.450x104.775x36.512 | 1.54             |
| 585 | HM807040/10           |                 | 44.45x104.775x36.512  | 1.6              |
| 586 | 74550A/850            |                 | 139.7x215.9x47.625    | 6.000            |
| 587 | 537/532X              |                 | 50.800x107.950x36.512 | 1.52             |
| 588 | 539/532X              |                 | 53.975x107.950x36.512 | 1.45             |
| 589 | L540049/10            |                 | 196.85x254x28.575     | 3.42             |
| 590 | T4DB180               | JP18049/10      | 180.00x240.00x32.00   | 3.55             |
| 591 | 57414/<br>LM300811    |                 | 41x68x17.5            | 0.243            |
| 592 | 55175C/55437          |                 | 44.45x111.125x30.162  | 1.44             |
| 593 | 55200C/55437          |                 | 50.8x111.125x30.162   | 1.34             |
| 594 | 55206C/55437          |                 | 52.388x111.125x30.162 | 1.31             |
| 595 | HM907643/<br>HM907614 |                 | 50.800x111.125x30.162 | 1.34             |
| 596 | 555S/552A             |                 | 57.15x123.825x38.1    | 2.16             |
| 597 | 557S/552A             |                 | 53.975x123.825x38.1   | 2.24             |
| 598 | 5578/5535             |                 | 53.975x122.238x43.658 | 2.59             |
| 599 | 5584/5535             |                 | 63.500x122.238x43.658 | 2.29             |
| 600 | 558A/552A             |                 | 60.325x123.825x38.1   | 2.08             |

## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)     | Unit Weight (Kg) |
|-----|------------------|-----------------|-----------------------|------------------|
|     | Part Description | Standard Number |                       |                  |
| 601 | 559/552A         |                 | 63.5×123.825×38.1     | 1.99             |
| 602 | 560/552A         |                 | 66.675×123.825×38.1   | 1.88             |
| 603 | 565/563          |                 | 63.500×127.000×36.512 | 2.08             |
| 604 | 566/563          |                 | 69.85×127×36.512      | 1.92             |
| 605 | 567/562          |                 | 73.025×130.048×36.512 | 1.95             |
| 606 | 567/563          |                 | 73.025×127×36.512     | 1.82             |
| 607 | 568/563          |                 | 73.817×127×36.512     | 1.800            |
| 608 | 570/563          |                 | 68.262×127×36.512     | 1.94             |
| 609 | 575/572          |                 | 76.2×139.992×36.512   | 2.39             |
| 610 | 575/572X         |                 | 76.2×139.7×36.512     | 2.374            |
| 611 | 576/572          |                 | 73.025×139.992×36.512 | 2.49             |
| 612 | 5760/5735        |                 | 76.200×135.733×44.450 | 2.69             |
| 613 | 5795/5735        |                 | 77.788×135.733×44.450 | 2.62             |
| 614 | 580/572          |                 | 82.55×139.982×36.512  | 2.17             |
| 615 | 580/572A         |                 | 82.55×139.982×35.25   | 2.14             |
| 616 | 580/572X         |                 | 82.55×139.7×36.512    | 2.15             |
| 617 | 581/572          |                 | 80.962×139.992×36.512 | 2.19             |
| 618 | 582/572          |                 | 82.55×139.992×36.512  | 2.14             |
| 619 | 593A/592A        |                 | 88.9×152.4×39.688     | 2.75             |

| No. | Part Number      |                 | Dimension (DxDxT)     | Unit Weight (Kg) |
|-----|------------------|-----------------|-----------------------|------------------|
|     | Part Description | Standard Number |                       |                  |
| 620 | 593/592A         |                 | 88.9×152.4×39.688     | 2.77             |
| 621 | 594/592A         |                 | 95.25×152.4×39.688    | 2.51             |
| 622 | 594A/592A        |                 | 95.25×152.4×39.688    | 2.5              |
| 623 | 594R/592A        |                 | 95.25×152.4×39.688    | 2.47             |
| 624 | 596/592A         |                 | 85.725×152.4×39.688   | 2.89             |
| 625 | 598/592A         |                 | 92.075×152.4×39.688   | 2.64             |
| 626 | 598A/592A        |                 | 92.075×152.4×39.688   | 2.62             |
| 627 | 598AW/592A       |                 | 92.075×152.4×39.688   | 2.67             |
| 628 | 598A/593X        |                 | 92.075×150×35.992     | 2.33             |
| 629 | 6                |                 | 44.45×9.525           | 0.0353           |
| 630 | 6CE              |                 | 49.146×19.05          | 0.132            |
| 631 | LM603049/11      |                 | 45.242×77.788×19.842  | 0.358            |
| 632 | LM603049/12      |                 | 45.242×77.788×21.43   | 0.377            |
| 633 | LM603049A/14     |                 | 45.242×80×19.842      | 0.395            |
| 634 | JW6049/10        |                 | 60×125×37             | 2.04             |
| 635 | L610549/10       |                 | 63.5×94.458×19.05     | 0.451            |
| 636 | 6379/6320        |                 | 65.088×135.755×53.975 | 3.62             |
| 637 | 6386/20          |                 | 66.675×135.755×53.975 | 3.57             |
| 638 | 636/632          |                 | 53.975×136.525×41.275 | 3.12             |

## BEARING SPECIFICATIONS

| No. | Part Number            |                 | Dimension (dxDxT)     | Unit Weight (Kg) |
|-----|------------------------|-----------------|-----------------------|------------------|
|     | Part Description       | Standard Number |                       |                  |
| 639 | 641/632                |                 | 66.675×136.525×41.275 | 2.75             |
| 640 | 643/632                |                 | 69.850×136.525×41.275 | 2.64             |
| 641 | H414242/10             |                 | 66.675×136.525×41.275 |                  |
| 642 | H414245/<br>H414210    |                 | 68.262×136.525×41.275 | 2.60             |
| 643 | 64450/64700            |                 | 114.3×177.8×41.275    | 3.55             |
| 644 | NP948161/<br>NP895956  |                 | 73.025×149.225×53.975 | 4.404            |
| 645 | 6461A/20               |                 | 76.2×149.725×53.975   | 4.25             |
| 646 | 65385/65320            |                 | 44.450×114.300×44.450 | 2.32             |
| 647 | HH506349/<br>HH506311  |                 | 49.987×114.3×44.45    | 2.25             |
| 648 | HH506349/<br>HH506310A |                 | 49.987×114.3×44.45    | 2.23             |
| 649 | 65237/65500            |                 | 60.325×127.000×44.450 | 2.59             |
| 650 | 6576C/6535             |                 | 76.200×161.925×53.975 | 5.37             |
| 651 | 6580/35                |                 | 88.9×161.925×53.975   | 4.71             |
| 652 | 655/653                |                 | 69.850×146.05×41.275  | 3.24             |
| 653 | H913840/<br>H913810    |                 | 59.987×146.050×41.275 | 3.17             |

| No. | Part Number           |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------|------------------------|------------------|
|     | Part Description      | Standard Number |                        |                  |
| 654 | H913842/<br>H913810   |                 | 61.912×146.050×41.275  |                  |
| 655 | H913849/<br>H913810   |                 | 69.850×146.050×41.275  | 2.86             |
| 656 | H916642/<br>H916610   |                 | 69.987×176.212×54.770  | 6.32             |
| 657 | 663/653               |                 | 82.55×146.05×41.275    | 2.75             |
| 658 | 663/652               |                 | 82.55×152.4×41.275     | 3.12             |
| 659 | 665/653               |                 | 85.725×146.05×41.275   | 2.61             |
| 660 | 665A/653              |                 | 85.725×146.05×41.275   | 2.59             |
| 661 | LM67045/10            |                 | 31.75×59.131×15.875    | 0.191            |
| 662 | LM67048L/<br>LM67010A |                 | 31.75×59.131×15.875    | 0.19             |
| 663 | LM67048/<br>LM67010   |                 | 31.75×59.131×15.875    | 0.179            |
| 664 | LM67049A/10           |                 | 31.75×59.131×15.875    | 0.184            |
| 665 | 67885/67820           |                 | 190.500×266.700×47.625 | 7.92             |
| 666 | 67983/67920           |                 | 203.200×282.575×46.038 | 8.65             |
| 667 | 67985/67920           |                 | 206.375×282.575×46.038 | 8.28             |
| 668 | 67989/20              |                 | 209.55×282.575×46.038  | 7.83             |
| 669 | L68149/10             |                 | 34.988×59.131×15.875   | 0.17             |

## BEARING SPECIFICATIONS

| No. | Part Number         |                 | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|---------------------|-----------------|------------------------|------------------|
|     | Part Description    | Standard Number |                        |                  |
| 670 | JL68145/11Z         |                 | 35×60×15.875           | 0.185            |
| 671 | L68149/L68111       |                 | 34.988×59.974×15.875   | 0.177            |
| 672 | 68450/68712         |                 | 114.300×180.975×34.925 | 2.88             |
| 673 | 68462/712           |                 | 117.475×180.975×34.925 | 2.8              |
| 674 | 683/672             |                 | 95.25×168.275×41.275   | 3.74             |
| 675 | 687/672             |                 | 101.6×168.275×41.275   | 3.43             |
| 676 | 842/832             |                 | 82.550×168.275×53.975  | 5.42             |
| 677 | JL69349/10          |                 | 38×63×17               | 0.196            |
| 678 | JLM710949C/10       |                 | 65.000×105.000×24.000  | 0.75             |
| 679 | JM710949C/10        |                 | 65×105×24              | 0.749            |
| 680 | JM714249/10         |                 | 75×120×31              | 1.28             |
| 681 | JM205149/10         |                 | 50×90×28               | 0.900            |
| 682 | JM207049A/10        |                 | 55×95×29               | 0.806            |
| 683 | 71450/750           |                 | 114.3×190.5×47.625     | 5.14             |
| 684 | 71455/750           |                 | 115.087×190.5×47.625   | 5.04             |
| 685 | H715334/<br>H715311 |                 | 61.912×136.525×46.038  | 3.46             |
| 686 | H715341/<br>H715310 |                 | 66.675×139.700×46.038  | 3.48             |

| No. | Part Number           |                 | Dimension (DxDxT)     | Unit Weight (Kg) |
|-----|-----------------------|-----------------|-----------------------|------------------|
|     | Part Description      | Standard Number |                       |                  |
| 687 | H715343/<br>H715311   |                 | 68.262×136.525×46.038 | 3.23             |
| 688 | H715345/<br>H715311   |                 | 71.438×136.525×46.038 | 3.11             |
| 689 | JM716649/10           |                 | 85×130×30             | 1.39             |
| 690 | JM718149A/10          |                 | 90×145×35             | 2.08             |
| 691 | JHM720249/10          |                 | 100×160×41            | 3.05             |
| 692 | JM822049/<br>JM822010 |                 | 110.00×165.00×35.00   | 2.44             |
| 693 | JF4549/JW5510         |                 | 45.00×95.00×35.00     |                  |
| 694 | JW5049/JW5510         | T7FC050         |                       | 1.24             |
| 695 | JW5549/JW5510         | T7FC055         | 55.00×115.00×34.00    | 1.57             |
| 696 | 72187C/72487          |                 | 47.625×123.825×36.512 |                  |
| 697 | 72200C/487            |                 | 50.8×123.825×36.512   | 2.08             |
| 698 | 72212C/487            |                 | 53.975×123.825×36.512 | 2.02             |
| 699 | 72218C/487            |                 | 55.562×123.825×36.512 | 1.98             |
| 700 | 72225C/487            |                 | 57.15×123.825×36.512  | 1.94             |
| 701 | 78215C/78551          |                 | 53.975×140.030×36.512 | 2.75             |
| 702 |                       |                 | 50×123.825×36.512     | 2.1              |
| 703 | NP723977/<br>NP751735 |                 | 68.262×136.525×46.038 | 3.22             |

## BEARING SPECIFICATIONS

| No. | Part Number           |                 | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------|------------------------|------------------|
|     | Part Description      | Standard Number |                        |                  |
| 704 | LM72849/10            |                 | 22.6×47×15.5           | 0.124            |
| 705 | HM81649/<br>HM81610   |                 | 15.987×46.975×21.000   | 0.115            |
| 706 | LM739749/<br>LM739710 |                 | 196.850×257.175×39.688 | 5.26             |
| 707 | LM742749/<br>LM742710 |                 | 215.9×285.75×46.038    | 7.54             |
| 708 | HM746646/<br>HM746610 |                 | 228.6×355.6×69.850     | 25.23            |
| 709 | 740/742               |                 | 80.962×150.089×44.45   | 3.43             |
| 710 | 744/742               |                 | 73.025×150.089×44.450  | 3.78             |
| 711 | 748S/742              |                 | 76.2×150.089×44.45     | 3.65             |
| 712 | 749/742               |                 | 85.026×150.089×44.45   | 3.24             |
| 713 | 749A/742              |                 | 82.55×150.089×44.45    | 3.36             |
| 714 | 759/752               |                 | 88.9×161.925×47.625    | 4.08             |
| 715 | 759/752A              |                 | 88.900×159.995×47.625  |                  |
| 716 | 759/753               |                 | 88.900×168.275×47.625  |                  |
| 717 | 760/752               |                 | 90.488×161.925×47.625  | 3.99             |
| 718 | 762/752               |                 | 73.025×161.925×47.625  | 4.84             |
| 719 | 776/772               |                 | 95.250×180.975×47.625  | 5.40             |
| 720 | 778/772               |                 | 92.075×180.975×47.625  | 5.57             |

| No. | Part Number           |                 | Dimension (DxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------|------------------------|------------------|
|     | Part Description      | Standard Number |                        |                  |
| 721 | 780/772               |                 | 101.600×180.975×47.625 | 5.03             |
| 722 | 782/772               |                 | 104.775×180.975×47.625 | 4.83             |
| 723 | JHM522649/610         |                 | 110.000×180.000×47.000 |                  |
| 724 | 783/772               |                 | 100.000×180.975×47.625 | 5.12             |
| 725 | 783/773               |                 | 100.000×180.000×48.000 | 5.09             |
| 726 | 786/772               |                 | 104.775×180.975×47.625 | 4.8              |
| 727 | 795/792               |                 | 120.65×206.375×47.625  | 6.41             |
| 728 | 898/892               |                 | 139.700×228.600×57.150 | 8.64             |
| 729 | HM926747/<br>HM926710 |                 | 127.000×228.600×53.975 | 8.61             |
| 730 | LM78349/10A           |                 | 35.000×62.000×16.7     | 0.208            |
| 731 | 527053/<br>HM807010   |                 | 54.500×104.775×36.512  | 1.38             |
| 732 | HM807040/10           |                 | 44.45×104.775×36.512   | 1.6              |
| 733 | HM807044/10           |                 | 49.212×104.775×36.512  | 1.5              |
| 734 | HM807046/10           |                 | 50.8×104.775×36.512    | 1.47             |
| 735 | 4580/4535             |                 | 50.8×104.775×39.688    | 1.62             |
| 736 | HM807049/10           |                 | 53.975×104.775×36.512  | 1.39             |
| 737 | HM803145/10           |                 | 41.275×88.900×30.162   | 0.889            |
| 738 | HM803146/10           |                 | 41.275×88.9×30.162     | 0.886            |

## BEARING SPECIFICATIONS

| No. | Part Number           |                 | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|-----------------------|-----------------|------------------------|------------------|
|     | Part Description      | Standard Number |                        |                  |
| 739 | HM803149/10           |                 | 44.45×88.9×30.162      | 0.836            |
| 740 | HM803149/12           |                 | 44.45×92.075×30.162    | 0.919            |
| 741 | M804048/<br>M804010   |                 | 47.625×88.90×25.40     | 0.660            |
| 742 | NP910415/<br>M804010  |                 | 44.45×88.90×25.40      | 0.706            |
| 743 | HM804843/10           |                 | 44.45×95.25×30.162     | 1.020            |
| 744 | HM804848/10           |                 | 48.412×95.25×30.162    | 0.96             |
| 745 | NP804861/<br>H914811  |                 | 68.262×152.4×47.625    | 4.51             |
| 746 | HH814547/<br>HH814510 |                 | 66.675×152.4×53.975    | 4.794            |
| 747 | JLM813049/10          |                 | 70×110×26              | 0.869            |
| 748 | HM813841/10           |                 | 60.325×127×36.512      | 2.19             |
| 749 | HM813843/10           |                 | 61.912×127×36.512      | 2.15             |
| 750 | HM813849/10           |                 | 71.438×127×36.512      | 1.86             |
| 751 | LM814849/10           |                 | 77.788×117.475×25.4    | 0.907            |
| 752 | LM844049/10           |                 | 223.838×295.275×46.038 | 8.02             |
| 753 | JL819349/10           |                 | 95×135×20              | 0.84             |
| 754 | L116149/<br>L116110   |                 | 82.550×115.888×20.638  | 0.65             |

| No. | Part Number             |                 | Dimension (DxDxT)    | Unit Weight (Kg) |
|-----|-------------------------|-----------------|----------------------|------------------|
|     | Part Description        | Standard Number |                      |                  |
| 755 | JLM714149/<br>JLM714110 |                 | 75.000×115.000×25.00 | 0.87             |
| 756 | JHM840449/10            |                 | 200×300×65           | 15.6             |
| 757 | M802048/11              |                 | 41.275×82.55×26.543  | 0.615            |
| 758 | HM801346/<br>HM801310   |                 | 38.100×82.550×29.370 | 0.76             |
| 759 | M84548/<br>M84510       |                 | 25.4×57.15×19.431    | 0.236            |
| 760 | M86643/<br>M86610       |                 | 25.40×64.292×21.433  |                  |
| 761 | M86649/<br>M86610       |                 | 30.162×64.292×21.433 | 0.337            |
| 762 | M88048/<br>M88010       |                 | 33.338×68.262×22.225 | 0.382            |
| 763 | M88046/10               |                 | 31.75×68.262×22.225  | 0.398            |
| 764 | HM88542/10              |                 | 31.75×73.025×29.37   | 0.613            |
| 765 | HM88542/11              |                 | 31.75×73.025×29.37   | 0.62             |
| 766 | HM88547/10              |                 | 33.338×73.025×29.37  | 0.596            |
| 767 | HM88630/<br>HM88610     |                 | 25.400×72.233×25.4   | 0.58             |
| 768 | HM88648/10              |                 | 35.717×72.233×25.4   | 0.469            |
| 769 | HM88649/10              |                 | 34.925×72.233×25.4   | 0.479            |



## BEARING SPECIFICATIONS

| No. | Part Number      |                 | Dimension (dxDxT)     | Unit Weight (Kg) |
|-----|------------------|-----------------|-----------------------|------------------|
|     | Part Description | Standard Number |                       |                  |
| 770 | HM89249/10       |                 | 36.512×79.375×29.37   | 0.691            |
| 771 | HM89440/10       |                 | 31.75×76.2×29.37      | 0.68             |
| 772 | HM89443/10       |                 | 33.338×76.2×29.37     | 0.662            |
| 773 | HM89446/10       |                 | 34.925×76.2×29.37     | 0.64             |
| 774 | HM89448/10       |                 | 36.512×76.2×29.37     | 0.623            |
| 775 | HM89449/10       |                 | 36.512×76.2×29.37     | 0.62             |
| 776 | HM89449/11       |                 | 36.512×76.2×29.37     | 0.628            |
| 777 | 909001R          |                 | 19.057×52.832×17.983  | 0.176            |
| 778 | TR9015038        |                 | 90×150×38             | 2.53             |
| 779 | TR9516042        |                 | 95×160×42             | 3.22             |
| 780 | HM903245/10      |                 | 41.275×95.25×30.958   | 1.03             |
| 781 | HM903245/16      |                 | 41.275×98.425×30.958  | 1.13             |
| 782 | HM903249/10      |                 | 44.45×95.25×30.958    | 0.987            |
| 783 | 90381/90744      |                 | 96.838×188.912×50.800 | 5.73             |
| 784 | 909052R          |                 | 32.55×75.26×29.083    | 0.485            |
| 785 | HM911242/10      |                 | 53.975×130.175×36.512 | 2.19             |
| 786 | HM911244/16      |                 | 59.987×134.983×33.449 | 2.09             |
| 787 | 9278/20          |                 | 68.262×161.925×49.212 | 4.54             |
| 788 | 9285/20          |                 | 76.200×161.925×49.212 | 4.18             |

| No. | Part Number           |                 | Dimension (DxDxT)               | Unit Weight (Kg) |
|-----|-----------------------|-----------------|---------------------------------|------------------|
|     | Part Description      | Standard Number |                                 |                  |
| 789 | 936/932               |                 | 107.950×212.725×66.675          | 10.38            |
| 790 | 938/930               |                 | 114.3×206.375×66.675            |                  |
| 791 | 938/932               |                 | 114.3×212.725×66.675            | 9.82             |
| 792 | 9380/9321             |                 | 76.200×171.450×49.212           | 5.11             |
| 793 | 77375/77675           |                 | 95.250×171.450×47.625           | 4.54             |
| 794 | 98316/98788           |                 | 80.000×200.000×52.761           | 7.95             |
| 795 | 98400/98788           |                 | 101.600×200.000×52.761          | 6.76             |
| 796 | BS500192S             | S-A029          | 45×100×25                       | 0.977            |
| 797 | ST4276C/A             | S-13644         | 42×76×23.8                      | 0.496            |
| 798 | DTP0902-1             | S-13645         | 53.975×95.215×38.1              | 1.14             |
| 799 | NP656227/<br>NP896049 | S-13646         | 39.688×80.167×29.37             | 0.679            |
| 800 | 4302712               | S-13647         | 38×83×25.4                      | 0.66             |
| 801 | BS226539V             | S-13648         | 38×83×25.4                      | 0.677            |
| 802 | 67784(S-13649)        | S-13649         | 69.865×117 126 ×63.774          | 2.61             |
| 803 | 4856                  | 13652           | 69.85×112.712 116.586<br>×76.32 | 2.53             |
| 804 | 21355                 | 13654           | 63.515×117 126 ×54.65           | 2.88             |
| 805 | 35286(S-13655)        | 13655           | 69.865×117 126 ×71.7            | 2.91             |
| 806 | BS225977              | 13658           | 35×72×20.6                      | 0.41             |

## BEARING SPECIFICATIONS

| No. | Part Number                           |                       | Dimension (dxDxT)      | Unit Weight (Kg) |
|-----|---------------------------------------|-----------------------|------------------------|------------------|
|     | Part Description                      | Standard Number       |                        |                  |
| 807 | T2ED070/VB061<br>(JF7049A/<br>JF7010) |                       | 70.000×130.000×43.000  | 2.45             |
| 808 | 3-240-345-60                          | KR-                   | 240.00×345.00×60.00    | 17               |
| 809 | S-18282                               | S-18282               | 710949C/10             |                  |
| 810 | 93800/93125                           |                       | 203.200×317.500×63.500 | 17.7             |
| 811 | 93825A/93125                          |                       | 209.550×317.500×63.500 | 16.29            |
| 812 | 48385/48320                           |                       |                        |                  |
| 813 | 67787/67720                           |                       | 174.625×247.65×47.625  | 7.00             |
| 814 | 67786/67720                           |                       | 174.625×247.65×47.625  | 6.89             |
| 815 | 67790/67720                           |                       | 177.80×247.65×47.625   | 6.68             |
| 816 | JLM736149/10                          |                       | 180×250×47             | 6.62             |
| 817 | HH221440/<br>HH221410                 |                       | 95.250×190.500×57.150  | 7.65             |
| 818 | HH221449/<br>HH221410                 | HH221449/<br>HH221410 | 101.60×190.50×57.150   | 7.20             |



# velonix

Contact 574.970.7122 To Reach A Velonix Agent



 VelonixLTD

 VelonixLimited

 Velonix Limited

 Velonix Limited

[www.velonix.com](http://www.velonix.com)